

Phytochemicals in Sri Lankan Curry Powder

K. Sarath D. Perera and A. D. Theeshya Dulmini

Department of Chemistry, The Open University of Sri Lanka

Nowadays people feel the need to enhance their immunity by consuming various nutritional food and beverages. From ancient times, Asian women have been using spices, not only to boost the taste and aroma, but also to add medicinal value to their cuisines. However, the types of spices, the mixing ratios, and the process of incorporating them to the dish, varies across regions and countries.

Sri Lankan housewives use unroasted yellowish colored curry powder to prepare mild vegetable dishes, and roasted dark brown colored curry powder to add an intense taste to dishes such as fish, meat and green jack fruit etc. The number of spice-ingredients in the roasted curry powder is usually higher than in the unroasted powder and dishes prepared using the former have a longer shelf-life.

Traditional Sri Lankan curry powder is known as “Thuna Paha”. Literally, “Thuna and Paha” means 3 and 5 in English, respectively. It depicts a combination of 8 spices. But according to Sri Lankan ayurvedic medicinal texts, the original curry powder was composed of more than 40 spices. The recipe of the “Thuna Paha” mixture has been passed down from generation to generation (mother to daughter); hence, the composition of the mixture could change with the personal preferences and the availability the ingredients.

Every Sri Lankan curry powder mixture consists of coriander, cumin and fennel as the three key ingredients, and the rest of the ingredients are selected from cloves, fenugreek seeds, cinnamon, curry leaves, mustard seeds, pepper and chillies.


Chemical constituents of curry powder

First, we will consider the chemical constituents of the three main spices.

Coriander seeds (“Koththamalli”)


The pungent, citrus-flavored, round shaped seeds

of *Coriandrum sativum* are dried and well-grounded to make curry powder. Linalool is the main phytochemical present in these seeds. Other compounds that can be found in coriander seeds are γ -terpinene, α -pinene, *p*-cymene and camphor. Antioxidant, antifungal and antibacterial properties of coriander are important as it increases the shelf-life of the curry powder mixture.




Cumin seeds (“Sooduru”)

Rod-shaped cumin (*Cuminum cyminum*) seeds have a distinctive strong flavor. Cuminaldehyde and cuminic alcohol (cuminy alcohol) give a unique aroma to these seeds. γ -terpinene, safranal, *p*-cymene, and β -pinene and substituted pyrazines such as 2-ethoxy-3-isopropylpyrazine, 2-methoxy-3-sec-butylpyrazine, 2-methoxy-3-methyl pyrazine, and vitamins B and E are the other compounds present in cumin seeds.



Fennel seeds (“Mahaduru”)


Fennel seeds consists of dried, ripe fruits of *Foeniculum vulgare* and they are larger than Cumin seeds. 4-Methoxy benzaldehyde, fenchone, *trans*-anethole and 2-pentanone are the major compounds that are present in fennel seeds.



Other spices

Some of the following spices are used in both roasted and unroasted curry powder mixtures.

Spice	Edible part	Chemical constituents
Curry leaves	Leaves of <i>Murraya koenigii</i>	3-carene, β -pinene, β -caryophyllene, α -pinene, β -phellandrene, aromadendrene
Ceylon Cinnamon	Bark of <i>Cinnamomum zeylanicum</i>	<i>trans</i> -cinnamaldehyde, eugenol, safrole, cumin aldehyde, linalool
Mustard	Seeds of <i>Brassica juncea</i>	sinigrin, progoitrin, brassicasterol, campesterol, alinolenic acid
Cloves	Nuts of <i>Syzygium aromaticum</i>	eugenol, eugenol acetate, limonin, ferulic aldehyde, quercetin
Cardamom	Capsules of <i>Elettaria cardamomum</i>	1,8-cineole, α -terpinyl acetate, limonene, linalool
Pepper	Seeds of <i>Piper nigrum</i>	α - and β -pinene, myrcene, α -phellandrene, 2-isopropyl-3-methoxypyrazine
Chilies	Pods of <i>Capsicum frutescens</i>	9,12-octadecadienoic acid (Z,Z), 3-carene, palmitic acid, eicosane



Health benefits of curry powder

Almost all the spices in our curry powder mixture exhibit antioxidant, antimicrobial, and anti-inflammatory properties as they contain a large amount of phenolic and flavonoid compounds. Antioxidants are important to counter free radicals which can damage the living cells. Cumin, cinnamon, cardamom and clove show cardioprotective properties; especially 1,8-cineole in cardamom clears the bad breath by killing bacteria in the breathing passage. This phytochemical inherits hepatoprotective and anticarcinogenic properties. The use of cinnamon, fennel, and cumin is used in traditional medicines to cure diabetes as well. Neuroprotective properties of curry powder are mainly due to the presence of cumin, fennel, and cardamom. The phytochemicals in mustard, cinnamon, curry leaves, cloves, and cumin are important to decrease the

low-density cholesterol level in the body. Curry powder is a good medicine to maintain a proper digestive system. Sometimes, consumption of roasted curry powder in excessive amounts can cause gastritis.

Recently, scientists have discovered that curry powder is a good treatment for respiratory diseases related to particulate matter, with aerodynamic diameters less than 2.5 micrometers. These particles are generated by combusting fossil fuels and their higher penetrating ability enhances the health risk as they can circulate through the bloodstream.

Iron is a crucial element to our body. It is essential for the production of hemoglobin which carries oxygen in the blood. Some researchers have proved that curry powder acts as a suitable vehicle to transport iron in the body. They suggest that the addition of NaFeEDTA to curry powder is the most convenient way to increase the iron content, as this mixture of spices is being consumed regularly.

However, there are a lot of forfeited and adulterated curry powder mixtures in the market. They can cause diseases, instead of providing health benefits. For better health benefits, it is always advisable to prepare the curry powder mixture at your home with fresh ingredients. It will give a pleasant taste to your food as well as a healthy life.

References

- Lamparelli, R. D., MacPhail, A. P., Bothwell, T. H., Ballot, D., Danilewitz, M. D., Macfarlane, B. J., Fatima Mayet, F., Baynes, R. D., 1987. Curry powder as a vehicle for iron fortification: effects on iron. *Am J Clin Nutr.* 46: 335-40
- Jadav, K. D., Mehta, B. M., 2018. Cardamom: chemistry, medicinal properties, applications in dairy and food industry: A review. *RRJoDST.* 7(3): 9-19
- Anibijuwon, I. I., Omojasola, P. F., Olayiwole, A., Abioye, J. A., Odaibo, D. O., 2013. Antibacterial activity of *Myristica fragrans* and curry powder against selected organisms. *NJBMB.* 28 (1&2): 103-111
- Sengupta, A., Bhattacharjee, S., 2018. Cardamom (*Elettaria cardamomum*) and its active constituent, 1,8-cineole. Molecular targets and therapeutic uses of spices. 65-83
- Nassar, M. I., Gaara, A. H., El-Ghorab, A. H., Farrag, A. H., Shen, H., Huq, E., Mabry, T. J., 2007. Chemical constituents of clove (*Syzygium aromaticum*, Fam. Myrtaceae) and their antioxidant activity. *Rev. Latinoamer. Quím.* 35(3): 47-57.
- Mandal, S., Mandal, M., 2015. Coriander (*Coriandrum sativum* L.) essential oil: Chemistry and biological activity. *Asian Pac J Trop Biomed.* 1-8. doi: 10.1016/j.apjtb.2015.04.001
- Srinivasan. K., 2018. Cumin (*Cuminum cyminum*) and black cumin (*Nigella sativa*) seeds: traditional uses, chemical constituents, and nutraceutical effects. *Food Quality and Safety.* 2: 1-16
- Chowdhury, J. U., Bhuiyan, N. I., Yusuf, M., 2008. Chemical composition of the leaf essential oils of *Murraya koenigii* (L.) Spreng and *Murraya paniculata* (L.) Jack. *Bangladesh J Pharmacol.* 3: 59-63
- Honda, A., Ito, S., Tanaka, M., Sawahara, T., Hayashi, T., Fukushima, W., Kitamura, G., Kudo, H., Chowdhury, P. H., Okano, H., Onishi, T., Kawaryu, Y., Higashihara, M., Nakayama, H., Ueda, K., Takano, H., 2019. Extract of curry powder and its components protect against diesel exhaust particle-induced inflammatory responses in human airway epithelial cells. *Food and Agricultural Immunology.* 30(1): 1212-1224
- Alam, P., Abdel-Kader, M. S., Alqarni, M. H., Zaatout, H. H., Ahamad, S. R., Shakeel, F., 2019. Chemical composition of fennel seed extract and determination of fenchone in commercial formulations by GC-MS method. *J Food Sci Technol.* 56(5):2395-2403. doi: 10.1007/s13197-019-03695
- Karn, S. K., Chavasit, V., Kongkachu-ichai, R., Tangsuphoom, N., 2011. Shelf stability, sensory qualities, and bioavailability of iron-fortified Nepalese curry powder. *Food and Nutrition Bulletin.* 32(1): 13-22
- Sadeghi, S., Davoodvandi, A., Pourha-nifeh, M. H., Sharifi, N., ArefNezhad, R., Sahebna-sagh, R., Moghadam, S. A., Sahebkar, A., Mirzaei H., 2019. Anti-cancer effects of cinnamon: Insights into its apoptosis effects. *European Journal of Medicinal*

- Chemistry*. 178: 131-140
13. Bernard, D., Kwabena, A. I., Osei, O. D., Daniel, G. A., Elom, S. A., Sandra, A., 2014. The effect of different drying methods on the phytochemicals and radical scavenging activity of Ceylon cinnamon(*Cinnamomum zeylanicum*) plant parts. *European Journal of Medicinal Plants*, 4(11): 1324-1335

Professor K Sarath D Perera obtained his BSc from University of Sri Jayewardenepura and completed his PhD in Queen's University Belfast, UK. He is currently serving as a Senior Professor at the Department of Chemistry, Open University of Sri Lanka.

Ms. A. D. Theeshya Dulmini graduated from the Open University of Sri Lanka and obtained her MSc. in Analytical Chemistry from the University of Colombo.